

PH SNOWBALL



MÜZEDECHANGA

Design:
Poul Henningsen

Concept:
The fixture emits comfortable glare-free diffuse light. Matt painted undersurfaces and glossy top surfaces result in an attractive reflection of the diffused light, creating uniform light distribution around the fixture. When the light is switched on, the top portion is illuminated while the bottom part remains dark.

Finish:
White, wet painted.

Material:
Shades: Spun aluminium. Frame: High lustre chrome plated, die cast aluminium. Housing: High lustre chrome plated, spun aluminium.

Weight:
Min: 2.7 kg Max: 3.5 kg

Class:
Ingress protection IP20. Electric shock protection I w. ground.

Specification notes:
The innovation of light sources is ongoing. Consequently we only inform about the max. wattages. On www.louispoulsen.com we update a list of recommendable light sources.

Mounting:

Suspension type: Cable 3x0,75mm². Canopy: Yes.

Cable length: 3m.

Results (1)

LIGHT SOURCE	FINISH	CABLE TYPE	ORDER-NO.	
1X300WE27	WHT	WHT TEX	5741081888	>

SPAREPART

PRODUCT NAME:

ORDERING NUMBER:

PH SNOWBALL, BOTTOMSHADE COMPLETE

5741086456

CANOPY WHITE 2-PART, TOPHAT ®

5749329034